

SECTION 1. PRODUCT IDENTIFICATION AND COMPANY DETAILS

Product Name: Bakkie & Trailer Coating Black (BTC 3)

Company Name: Kansai Plascon (Pty) Ltd
Address: P.O.Box 4010
Luipaardsvlei
1743

Telephone: (011) 951-4500
Facsimile: (011) 955-2841
Contact person: Mr.C.Costa

SECTION 2. COMPOSITION

Chemical family: Waterbased coating.
Hazardous components: None.
Classification: Not classified.
R-Phrases: None.

SECTION 3. HAZARDS IDENTIFICATION

Eyes: May cause irritation.
Ingestion: May cause irritation.
Respiration: May cause irritation to sensitive persons.
Skin: May cause irritation.

SECTION 4. FIRST AID MEASURES

Eyes: Rinse immediately with plenty of water and seek medical advice if symptoms persist.
Inhalation: Move to an area with fresh air.
Ingestion: Give plenty of water / milk. Do not induce vomiting. Seek medical attention.
Skin: Wash with soap and water or a recognised skin cleaner. Avoid the use of solvents.

SECTION 5. FIRE FIGHTING MEASURES

Water, Foam, Carbon dioxide (CO₂) and Sand.
Possible decomposition products: carbon monoxide.
Appropriate breathing apparatus may be required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: None.
Environmental precautions: Do not allow product to enter sewage drains or watercourses.
Clean up method: Contain and collect spillage with non-combustible absorbent material and dispose of according to local regulations.
Avoid the use of solvents.

SECTION 7. HANDLING AND STORAGE

Technical measures: Ensure sufficient ventilation.
Safe handling advice: Avoid contact with skin and eyes.
Packaging materials: Plastic containers or lacquer lined tins..
Storage conditions: Keep in a closed container. Store away from direct sun, heat and severe cold.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAPMA hazard rating: 4-H-C Minimal hazard potential.
Personal protective equipment: Use eye and hand protection.
Skin: Use impervious gloves. Wash immediately after contact.
Eyes: Safety goggles. Never touch eyes with dirty hands or gloves.
Ingestion: Observe the rules of hygiene. Wash hands before eating, drinking or smoking.
Inhalation: If ventilation is insufficient, wear half mask for nuisance organic vapours.



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Dark grey liquid.
DENSITY: (kg/ℓ)	1,19 (typical)
FLASH POINT: (°C)	Non flammable.
pH:	8,5
SOLUBILITY:	Water miscible.
VISCOSITY: (grams)	500 - 550 Kreb units - paste paddle

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid: Will form skins if exposed to air.
Materials to avoid: Acids, alkali and hydrocarbon solvents.
Hazardous decomposition products: Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological data not established.

SECTION 12. ECOLOGICAL INFORMATION

Ecological information not established.

SECTION 13. DISPOSAL CONSIDERATIONS

Mix product with absorbent powders and dispose of according to local regulations.

SECTION 14. TRANSPORT INFORMATION

Shipping Name: Not classified.
Packing Group: Not applicable.
Hazard Class: Not applicable.
S.I.N. Number: Not classified.

SECTION 15. REGULATORY INFORMATION

Classification: Not classified.
S-phrases: S2 - Keep out of reach of children.
 S24/2 - Avoid contact with skin and eyes

SECTION 16. OTHER INFORMATION

Always seek medical advice should any discomfort be experienced during or after use of this product.
All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.