

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: RemovALL High Performance Coatings Remover – Brush Grade (RRH 520)

Company Name: Kansai Plascon (Pty) Ltd
Address: 10 Frederick Cooper Drive
 Factoria
 Krugersdorp 1739

Telephone: (011) 951 4500
Facsimile: (011) 955 2841
Contact Person: Mr. C.Costa

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Class: Acidic mixture
EC Classification: Xn
R Phrases: R20/22, 36/38, 52/53, 65
S Phrases: S2,16, 36/37/39, 53,61

Hazardous and/or other relevant components	% (w/w)	CAS No.	E.C. No.
BENZYL ALCOHOL	< 40	100-51-6	202-859-9
WAX	< 0.1	8002-74-2	232-315-6
HEAVY AROMATIC HYDROCARBONS	< 7	64742-94-5	265-198-5
HYDROGEN PEROXIDE SOLUTION	< 8	7722-84-1	231-765-0
PROPYLENE GLYCOL	< 1.5	57-55-6	200-338-0

SECTION 3. HAZARDS IDENTIFICATION

SAPMA Health Rating: 2 – MODERATE. Temporary or minor injury possible, even if treatment is given.

Inhalation: Moderate to severe irritation.

Skin: Mild irritation at site of contact.

Eyes: Slight to moderate irritation.

Ingestion: Moderate to severe irritation - may cause lung damage if swallowed.

No carcinogenic, mutagenic or genetic effects established.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Contain, monitor and remove.



SECTION 4. FIRST AID MEASURES

Inhalation: Move to fresh air. In case of discomfort seek medical attention.

Skin: Use hand cleaner/soap and water. Remove contaminated clothing. In severe cases consult a doctor.

Eyes: Rinse immediately with plenty of water. Seek medical advice if symptoms persist.

Ingestion: Wash mouth with plenty of water. Do NOT induce vomiting. Seek immediate medical attention.

SECTION 5. FIRE FIGHTING MEASURES

In combustion emits toxic fumes.

Containers can burst in a fire. Can form explosive vapour/air mixture. Use foam, CO₂, dry powder.

Wear self-contained breathing apparatus. Do NOT use water jets.

Cool containers in case of fire.

SECTION 6. ACCIDENTAL RELEASE MEASURES - SEE ALSO SECTIONS 5, 8, 13

Ensure sufficient ventilation.
 Contain and collect spillage with non-combustible absorbent material and dispose of according to local regulations.
 Do not allow product to enter drains and sewers.

SECTION 7. HANDLING AND STORAGE

Avoid the formation and spread of mists in the air.
 Avoid direct contact with the substance.

Store separately from any reactive substances - oxidisers in particular.
 Keep away from ignition sources.
 Store in a well-ventilated and dry environment.
 Store away from direct sun, heat and severe cold.
 STORAGE TEMPERATURE: 4 °C – 30 °C

Product must only be kept in original packaging. Do not use aluminium or steel containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

NAME	CAS	OEL (mg/m ³)
BENZYL ALCOHOL	100-51-6	Not established
WAX	8002-74-2	2
HEAVY AROMATIC HYDROCARBONS	64742-94-5	125
HYDROGEN PEROXIDE SOLUTION	7722-84-1	1.4
PROPYLENE GLYCOL	57-55-6	10

SAPMA Rating: 2-H-E PPE - Respirator and eye protection.
Inhalation: In case of insufficient ventilation, use suitable respiratory protection.
Skin: AVOID CONTACT. Use barrier cream and impervious gloves.
Eyes: Use safety goggles. Avoid direct contact.
Ingestion: Observe the rules of hygiene. Wash before eating, drinking or smoking.



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale blue emulsion
Flash Point: N/A
Density: 1.05 g/ml
Viscosity: 107 KU
Solubility: Soluble in water
pH: 3.5 – 4.5

SECTION 10. STABILITY AND REACTIVITY

General: This product is stable and hazardous polymerisation will not occur.
Conditions to avoid: Hot or cold storage.
Incompatible material: Strong oxidisers, acids and alkalis.
Hazardous decomposition products: Thermal decomposition (combustion) will produce carbon monoxide and dioxide.
Sensitivity to mechanical impact: This product is not sensitive to mechanical impact.
Sensitivity to static discharge: This product is not sensitive to static discharge.

SECTION 11. TOXICOLOGICAL INFORMATION

No carcinogenic, mutagenic or genetic effects established.

SECTION 12. ECOLOGICAL INFORMATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Contain, monitor and remove.

SECTION 13. DISPOSAL INFORMATION

RCRA 40 CFR 261 Classification: Not classified

U.S. EPA WASTE NUMBER/DESCRIPTION: None

Exercise caution in disposal of used containers. Empty containers should be thoroughly rinsed with water and disposed of according to local regulations. Do not completely fill containers with the resulted paint waste. Wet paint waste has a tendency to expand slightly, therefore do not seal containers airtight to allow a breathing period.
Use reputable waste disposal contractors.

SECTION 14. TRANSPORT INFORMATION

SIN/UN Number: -
Shipping Name: "Not subject to ADR"
Packaging Group: -
Class: -

SECTION 15. REGULATORY INFORMATION

Classification: Xn, harmful.
R20/22: Harmful by inhalation, and if swallowed.
R36/38: Irritating to eyes and skin.
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful – may cause lung damage if swallowed.
S2: Keep out of reach of children.
S16: Keep away from sources of ignition-no smoking.
S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
S53: Avoid exposure-obtain special instructions before use.
S61: Avoid release into the environment. Refer to special instructions/safety data sheets.

SECTION 16. OTHER INFORMATION

In case of any discomfort always seek medical advice.
All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.